

# **RELIANCE LIQUID HAND SOAP**

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : RELIANCE LIQUID HAND SOAP

Other means of identification : Not applicable

Recommended use : Skin-care

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Sysco Corporation

1390 Enclave Parkway Houston, Texas USA 77077

1-877-822-5101

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 07/26/2016

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Eye irritation : Category 2A

**GHS** label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

1 - 5

1 - 5

irritation persists: Get medical advice/ attention.

61789-40-0

68585-47-7

Other hazards : None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical nameCAS-No.Concentration (%)Sodium poly(oxyethylene) dodecyl ether sulfate<br/>glycerin68585-34-2<br/>56-81-51 - 5sodium chloride7647-14-51 - 5

Alkylamidopropylbetaines sulfuric acid, mono-c10-16-alkyl esters, sodium

salts

ethanol 64-17-5 1 - 5

947036-03 1 / 8

## RELIANCE LIQUID HAND SOAP

## **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse with water.

In case of skin contact : Rinse with water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

947036-03 2/8

# RELIANCE LIQUID HAND SOAP

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : No special handling advice required.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
glycerin	56-81-5	TWA	10 mg/m3	ACGIH
		TWA (respirable fraction)	5 mg/m3	OSHA Z1
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : No specific measures identified.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : opaque, light pink

Odor : Floral

pH : 6.0 - 8.0, 100 %

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available

947036-03 3 / 8

## RELIANCE LIQUID HAND SOAP

Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available : 1.022 - 1.042 Relative density

: soluble Water solubility

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Explosive properties

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

: No data available

Molecular weight : No data available VOC : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

# **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

### **Potential Health Effects**

: Causes serious eye irritation. Eyes

Skin : Health injuries are not known or expected under normal use.

: Health injuries are not known or expected under normal use. Ingestion

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

947036-03 4/8

### RELIANCE LIQUID HAND SOAP

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

Ingredients

Acute inhalation toxicity : ethanol

4 h LC50 Rat: 117 mg/l

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental Effects : Harmful to aquatic life.

**Product** 

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

aquatic invertebrates

: No data available

Toxicity to algae **Ingredients** 

Toxicity to fish : Sodium poly(oxyethylene) dodecyl ether sulfate

96 h LC50 Fish: 28 mg/l

glycerin

96 h LC50 Fish: 855 mg/l

947036-03 5 / 8

### RELIANCE LIQUID HAND SOAP

sodium chloride

96 h LC50 Fish: 5,840 mg/l

Alkylamidopropylbetaines 96 h LC50 Fish: 2 mg/l

ethanol

96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

#### Ingredients

aquatic invertebrates

Toxicity to daphnia and other : sulfuric acid, mono-c10-16-alkyl esters, sodium salts

48 h EC50 Daphnia: 1.37 mg/l

## Persistence and degradability

Biodegradable

#### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

> used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

> an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

# **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

## **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity** 

947036-03 6/8

### RELIANCE LIQUID HAND SOAP

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

All components are listed or exempted.

#### Canadian Domestic Substances List (DSL):

This product contains one or several components that are not on the Canadian DSL nor NDSL.

#### Australia Inventory of Chemical Substances (AICS):

not determined

#### New Zealand. Inventory of Chemical Substances:

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

#### Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

# Korea. Korean Existing Chemicals Inventory (KECI):

not determined

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

# China. Inventory of Existing Chemical Substances in China (IECSC) :


not determined

# **SECTION 16. OTHER INFORMATION**

947036-03 7 / 8

## RELIANCE LIQUID HAND SOAP

### NFPA:



#### HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

: 07/26/2016 Issuing date

Version 1.0

Prepared by Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

947036-03 8/8