## **MATERIAL SAFETY DATA SHEET**

	This MSDS complies with OSHA'S Hazard Con					OSHA FOIIII I	74		
		DISTRIB	UTO	R'S INFORMATION	ı				
	Flammability-1; Reactivity-0; Special			Rating: Health-1; F			ty-0; Person	al Protection-E	
Ianufactured For: UNISOURCE WORLDWIDE, INC.			DOT Hazard Classification: ORM-D						
Address: 6600 Governors Lake Pkwy.			Identity (trade name as used on label):						
Norcross, GA 30071			ALLSTAR SUD'N KLEEN (U17548)						
Phone: 800-UNISOURCE			MSDS Number: A00251 Revision- 11						
			Date Prepared: 06/27/01 Prepared By: DL/IB/CH						
NOTICE: JUDGEMEN	NT BASED ON INDIRECT TEST DATA			nation Calls: (770)422					
	SECTION 1 - MATERIAL	_ IDENTI	IFICA	TION AND INFOR	MATION				
COMPONENTS-CHEMIC	AL NAMES AND COMMON NAMES			CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen	
	1% or greater; Carcinogens 0.1% or greater)				III LIST	(ppm)	TLV (ppm)	Ref. Source *	
ISOBUTANE / PROPANE BLEND				75-28-5	No	800	800	d	
				74-98-6	No	1000	1000	d	
2-BUTOXYETHANOL *				111-76-2	Yes	25	20	d	
O-PHENYLPHENOL				90-43-7	Yes	(skin) NE	(skin) NE	е	
WARNING: This product contains a chemical or chemicals known t			١.	30-43-7	169	INL	INL		
the State of California to cause cancer.  *GLYCOL ETHER									
GLICOLEINER	OFOTION O BUIVOIG	NAL /OUT	-1410	AL OUADAGTERIO	TIOO			<u> </u>	
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS  Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 1.0									
				Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A					
			Evaporation Rate ( = 1): N/E						
			Water Reactive: No						
Appearance and Odor: White foam, light airy fragrance.									
Appearance and odor.	SECTION 3 - FIRE	AND FY	(PLO	SION HAZARD DA	ТΔ				
FLAMMARILITY as no	r USA FLAME PROJECTION TEST			tion Temperature		nability Limits	in Δir by %	in Volume:	
	AMMABLE	Auto	, igilii	N/E		: N/E	,	L: N/E	
(/	HOD USED (non-aerosols): N/A		EXTIN					14/_	
FLASH POINT AND METHOD USED (non-aerosols): N/A SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.  EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide.									
	on Hazards: Do not expose aerosols to temper		above	130°F or the containe	r may rup	ture.			
SECTION 4 - REACTIVITY HAZARD DATA									
STABILITY [X] STABLE [ ] UNSTABLE HAZARDOUS POLYMERIZATION [ ] WILL [X] WILL NOT OCCUR						ILL NOT			
					)non flan	ne welding s	arce heat		
Incompatibility (Mat. to avoid): Strong oxidizers.									
SECTION 5 - HEALTH HAZARD DATA									
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS									
ACUTE EFFECTS:									
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible									
unconsciousness.									
Eye Contact: Irritation.  Skin Contact: Mild irritation.									
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.									
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause diarrhea, vomiting, gastrointestinal									
irritation. Lab animals have experienced anemia, liver, kidney, lung, blood damage to Glycol Ether EB.									
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.									
EMERGENCY FIRST AID PROCEDURES  Eve Contact: Elvah with water for 15 minutes. If irritated, each medical attention									
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.									
Skin Contact: Wash with soap and water. If irritated, seek medical attention.									
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.									
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.									
	SECTION 6 - CONTR								
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode.									
Protective Gloves: Latex, if skin easily irritated. Eye Protection: Safety glasses recommended.									
Ventilation Requirem	ents: Adequate ventilation to keep vapo	r concen	ntratio	n below TLV.					
Other Protective Clothing & Equipment: None									
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.									
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE									
	Material Is Spilled Or Released: Absor					ndfill accordir	ng to local, s	state or	
	O NOT FLUSH TO SEWER.  ods: Aerosol cans when vented to atmos	spheric n	ressi	ure through normal	use, pos	e no disposa	al hazard.		
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.  Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.									
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors.									

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

\*\* Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only
THIS MSDS IS CURRENT AS OF May 12,2005. The DATE PREPARED section is the original date assembled and remains current until a change is necessary. This is tracked internally at the manufacturer by these date codes and therefore must remain as the originating date.