

Revision Date 03-Feb-2015

Version 1

SAFETY DATA SHEET

1. IDENTIFICATION		
<u>Product identifier</u> Product Name	765-1155 NAPA HIGH TEMPERATURE THREAD SEALANT (PTX59235) 50 ML	
<u>Other means of identification</u> Product Code Synonyms	21118 None	
Recommended use of the chemical Recommended Use Uses advised against	<u>and restrictions on use</u> Sealant No information available	
Details of the supplier of the safety Manufacturer Address ITW Permatex 10 Columbus Blvd. Hartford, CT 06106 USA	data sheet_ <u>Distributor</u> ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994	
Company Phone Number	1-87-Permatex (877) 376-2839	
24 Hour Emergency Phone Number		
2. HAZARDS IDENTIFICATION		

### **Classification**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

# Label elements

Warning

### Emergency Overview

Causes skin irritation Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure



Physical state Paste

Odor Mild

## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

### Precautionary Statements - Storage

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Not applicable

Unknown acute toxicity

73.871% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Chemical Name	CAS No	Weight-%	Trade Secret
POLYGLYCOL DIMETHACRYLATE	25852-47-5	10 - 30	*
SILICA, MICA	12001-26-2	10 - 30	*
POLYETHYLENE GLYCOL ESTER	18268-70-7	5 - 10	*
OCTANOL	111-87-5	5 - 10	*
POLYTETRAFLUOROETHYLENE	9002-84-0	3 - 7	*
TITANIUM DIOXIDE	13463-67-7	1 - 5	*
PROPYLENE GLYCOL	57-55-6	1 - 5	*
SACCHARIN	81-07-2	1 - 5	*
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	1 - 5	*

The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	See section 2 for more information.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		
<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical, Foam Unsuitable extinguishing media		

None.

### <u>Specific hazards arising from the chemical</u> None in particular.

Explosion data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.
	Use personal protective equipment as required.

Environmental precautions

Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional
	ecological information.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible materials	Strong oxidizing agents, Amines	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

#### Control parameters

#### Exposure Guidelines

	-		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
SILICA, MICA	TWA: 3 mg/m <sup>3</sup> respirable fraction	(vacated) TWA: 3 mg/m <sup>3</sup> respirable	IDLH: 1500 mg/m <sup>3</sup>
12001-26-2		dust <1% Crystalline silica	TWA: 3 mg/m <sup>3</sup> containing <1%
		TWA: 20 mppcf <1% Crystalline	Quartz respirable dust
		silica	
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	_	(vacated) TWA: 10 mg/m <sup>3</sup> total dust	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	Paste
Appearance	White

Odor Odor threshold	Mild No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	<u>Values</u> Does not apply No information available > 149 °C / 300 °F > 93 °C / > 199 °F No information available No information available	<u>Remarks • Method</u>
Upper flammability limit: Lower flammability limit: Vapor pressure	No information available No information available n/d	
Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	<ul> <li>&gt;1</li> <li>1.16-1.26</li> <li>Insoluble</li> <li>No information available</li> </ul>	Air = 1
Other Information Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available 2.8%; 33.9 g/L No information available No information available	

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

**Chemical stability** Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

# Conditions to avoid

Excessive heat.

# **Incompatible materials**

Strong oxidizing agents, Amines

# **Hazardous Decomposition Products**

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation

May be harmful if inhaled.

Eye contact	May cause redness and tearing of the eyes		e eyes.		
<b>e u u u</b>			.,		

Skin contact May cause skin irritation and/or dermatitis.

Ingestion Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
POLYETHYLENE GLYCOL ESTER 18268-70-7	= 18 g/kg (Rat)	> 20 mL/kg (Rabbit)	-
OCTANOL 111-87-5	> 3200 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
TITANIUM DIOXIDE 13463-67-7	> 10000 mg/kg (Rat)	-	-
PROPYLENE GLYCOL 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h

#### Information on toxicological effects

#### Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye Sensitization Germ cell mutagenicity Carcinogenicity	No informa No informa	ous damage to eyes. tion available. tion available. elow indicates whether eacl	h agency has listed any inc	redient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
POLYTETRAFLUOROETHY LENE 9002-84-0	-	Group 3	-	-
TITANIUM DIOXIDE 13463-67-7	-	Group 2B	-	Х
SACCHARIN 81-07-2	-	Group 3	-	-

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present **Target Organ Effects** 

Lungs, Respiratory system.

### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	3936 mg/kg
ATEmix (dermal)	7529 mg/kg
ATEmix (inhalation-dust/mist)	13.1 mg/l

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

None known

85.671% of the mixture consists of components(s) of unknown bazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
OCTANOL	14: 48 h Desmodesmus subspicatus	11.4 - 12.9: 96 h Pimephales	15 - 26: 24 h Daphnia magna mg/L
111-87-5	mg/L EC50 static	promelas mg/L LC50 flow-through	EC50
		17.68: 96 h Oncorhynchus mykiss	
		mg/L LC50 static	

PROPYLENE GLYCOL 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	
SACCHARIN 81-07-2	-	18300: 96 h Pimephales promelas mg/L LC50	-
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	-	3.9: 96 h Oncorhynchus mykiss mg/L LC50 static	7: 24 h Daphnia magna mg/L EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Chemical Name	Partition coefficient
OCTANOL	3.15
111-87-5	

### Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
DIMETHYLBENZYL	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
DIMETHYLBENZYL HYDROPEROXIDE	Toxic
80-15-9	Ignitable

# 14. TRANSPORT INFORMATION

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

# **15. REGULATORY INFORMATION**

	· · · · · · · · · · · · · · · · · · ·
International Inventories	
TSCA	Does not comply
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Does not comply
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0
SACCHARIN - 81-07-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			

## US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
TITANIUM DIOXIDE - 13463-67-7	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical Name New Jersey Massachusetts	Pennsylvania
--	--------------

## 21118 - 765-1155 NAPA HIGH TEMPERATURE THREAD SEALANT (PTX59235) 50 ML

SILICA, MICA 12001-26-2	Х	Х	Х
TITANIUM DIOXIDE 13463-67-7	Х	Х	Х
PROPYLENE GLYCOL 57-55-6	Х	-	Х
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	X	Х	Х
SACCHARIN 81-07-2	Х	Х	Х
WATER 7732-18-5	-	-	Х

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

		-	Instability 0 Physical hazards 0	- Personal protection B
--	--	---	-------------------------------------	----------------------------

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 03-Feb-2015

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet