Safety Data Sheet

SECTION 1: Product and company identification

: No Stick Product name Use of the substance/mixture : Release Agent

Product code 0700

Metropolitan Compounds, Inc. Company

PO Box 245760

Pembroke Pines, FL 33024 - USA

T 855-474-6781 : 855-474-6781

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification (GHS-US)

Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 Carc. 2 H351

Emergency number

Full text of H-phrases: see section 16

Label elements 2.2.

GHS-US labeling

Hazard pictograms (GHS-US)





GHS05

: Danger

Signal word (GHS-US)

Hazard statements (GHS-US) May be corrosive to metals Causes skin irritation

May cause an allergic skin reaction Causes serious eye damage Suspected of causing cancer

Precautionary statements (GHS-US) Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

GHS08

Keep only in original container Avoid breathing mist, spray Wash thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Wear eye protection, protective clothing, protective gloves

If on skin: Wash with plenty of soap and water.

GHS07

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If exposed or concerned: Get medical advice/attention Immediately call a doctor, a POISON CENTER

If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

Absorb spillage to prevent material damage

Store locked up

Store in corrosive resistant container with a resistant inner liner

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

Date of issue: 10/23/2015 Revision date: 04/03/2015 Version: 1.0 P GHS SDS Page 1 of 7

Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
tall oil	(CAS No) 8002-26-4	7-13	Skin Sens. 1, H317 Carc. 2, H351
tetrasodium ethylenediaminetetracetate	(CAS No) 64-02-8	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
potassium hydroxide, 45%= <conc<50%, aqueous="" solutions<="" td=""><td>(CAS No) 1310-58-3</td><td>1-5</td><td>Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314</td></conc<50%,>	(CAS No) 1310-58-3	1-5	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314
trisodium nitrilotriacetate	(CAS No) 5064-31-3	0.05-1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Carc. 2, H351

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated

clothing and wash it before reuse. Wash with plenty of soap and water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion : Gastrointestinal complaints. Cramps. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

Date of issue: 10/23/2015 Revision date: 04/03/2015 Version: 1.0 P GHS SDS Page 2 of 7

Safety Data Sheet

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not eat, drink or smoke when using

this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in original container.

Incompatible products : strong acids. Strong oxidizers.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

potassium hydroxide, 45%=<conc<50%, aqueous solutions (1310-58-3)

ACGIH ACGIH Ceiling (mg/m³) 2 mg/m³

8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary.
 Gloves. Safety glasses. Protective clothing.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Yellow liquid.
Odor : slight soy odor
Odor threshold : No data available
pH : 9.5 - 11.5

Melting point : No data available : No data available Freezing point : No data available Boiling point Flash point : > 200 °F Closed Cup Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure No data available No data available Relative density Relative vapor density at 20 °C : No data available

Date of issue: 10/23/2015 Revision date: 04/03/2015 Version: 1.0 P GHS SDS Page 3 of 7

Safety Data Sheet

Specific gravity / density : 1.03 g/ml Solubility : Soluble in water. Log Pow No data available Log Kow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

VOC content : < 0.5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

May be corrosive to metals. strong acids. Oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

ricute textory	. Net diagonica
potassium hydroxide, 45%= <conc<< th=""><th>50%, aqueous solutions (1310-58-3)</th></conc<<>	50%, aqueous solutions (1310-58-3)
LD50 oral rat	273 mg/kg (Rat)
ATE CLP (oral)	273.000 mg/kg body weight
tetrasodium ethylenediaminetetrace	etate (64-02-8)
LD50 oral rat	> 2000 mg/kg (Rat)
ATE CLP (oral)	500.000 mg/kg body weight
trisodium nitrilotriacetate (5064-31-3	3)
LD50 oral rat	1740 mg/kg rat, male and female
LD50 dermal rabbit	> 2000 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
	pH: 9.5 - 11.5
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 9.5 - 11.5
Respiratory or skin sensitization	: May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

IARC group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

Date of issue: 10/23/2015 Revision date: 04/03/2015 Version: 1.0 P GHS SDS Page 4 of 7

Safety Data Sheet

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion : Gastrointestinal complaints. Cramps. Nausea.

SECTION 12: Ecological information

12.1. Toxicity

potassium hydroxide, 45%= <conc<50%, aque<="" th=""><th></th></conc<50%,>		
LC50 fish 1	28.6 mg/l (24 h; Pisces; Pure substance)	
LC50 other aquatic organisms 1	100 - 1000 mg/l (96 h)	
LC50 fish 2	80 mg/l (96 h; Gambusia affinis; Pure substance)	
Threshold limit other aquatic organisms 1	100 - 1000,96 h	
tetrasodium ethylenediaminetetracetate (64-0	2-8)	
LC50 fish 1	121 mg/l (96 h; Lepomis macrochirus; Soft water)	
EC50 Daphnia 1	625 mg/l (24 h; Daphnia magna)	
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)	
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)	
trisodium nitrilotriacetate (5064-31-3)		
LC50 fish 1	114 mg/l Pimephales promelas (fathead minnow); Test Type: flow-through test	
EC50 Daphnia 1	> 100 mg/l Daphnia magna (Water flea); Test Type: static test	
ErC50 (algae)	91.5 mg/l Desmodesmus subspicatus (green algae); Exposure time: 72 h; Test Type: static test; Method: OECD Test Guideline 201	
tall oil (8002-26-4)		
LC50 fish 1	5 - 10 mg/l (96 h; Brachydanio rerio)	
EC50 Daphnia 1	39.7 mg/l (48 h; Daphnia magna)	
Threshold limit algae 1	0.5 mg/l (72 h; Selenastrum capricornutum)	

12.2. Persistence and degradability

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
tetrasodium ethylenediaminetetracetate (64-02-8)		
Persistence and degradability	Not readily biodegradable in water.	
Biochemical oxygen demand (BOD)	< 0.002 g O □/g substance	
Chemical oxygen demand (COD)	0.54 - 0.58 g O□/g substance	
tall oil (8002-26-4)		
Persistence and degradability	Readily biodegradable in water.	
Chemical oxygen demand (COD)	2.1 g O □/g substance	

12.3. Bioaccumulative potential

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
Bioaccumulative potential	Not bioaccumulative.	
tetrasodium ethylenediaminetetracetate (64-02-8)		
Log Pow	-2.6	
Bioaccumulative potential	Bioaccumulation: not applicable.	
tall oil (8002-26-4)		
Log Pow	3.5 - 8.2	

 Date of issue: 10/23/2015
 Revision date: 04/03/2015
 Version: 1.0
 P GHS SDS
 Page 5 of 7

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

potassium hydroxide, 45%= <conc<50%, (1310-58-3)<="" aqueous="" solutions="" th=""></conc<50%,>		
Not listed on SARA Section 313 (Specific toxic chemical listings)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer

Date of issue: 10/23/2015 Revision date: 04/03/2015 Version: 1.0 P GHS SDS Page 6 of 7


Safety Data Sheet

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 10/23/2015
 Revision date: 04/03/2015
 Version: 1.0
 P GHS SDS
 Page 7 of 7