

# **SAFETY DATA SHEET**

Version 6.1 Revision Date 06/17/2019 Print Date 08/08/2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Phosphoric acid

Product Number : P5811 Brand : Sigma CAS-No. : 7664-38-2

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103

**UNITED STATES** 

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

E B

Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Sigma - P5811 Page 1 of 9



Precautionary statement(s)	
P234	Keep only in original container.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Synonyms : Orthophosphoric acid

Formula : H<sub>3</sub>O<sub>4</sub>P Molecular weight : 98.00 g/mol

Component		Classification	Concentration
Phosphoric acid			
CAS-No. EC-No. Index-No.	7664-38-2 231-633-2 015-011-00-6	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; H290, H314, H318 Concentration limits:	>= 70 - < 90 %
		>= 1 %: Met. Corr. 1, H290;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma - P5811 Page 2 of 9



### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Oxides of phosphorus

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.



## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**Components with workplace control parameters** 

Component	CAS-No.	Value	Control parameters	Basis	
Phosphoric acid	7664-38-2	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Upper Respiratory Tract irritation Eye irritation Skin irritation			
		STEL	3 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Eye irritation Skin irritation			
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits	
		ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
		STEL	3 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

## 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Sigma - P5811 Page 4 of 9



## **Personal protective equipment**

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear
b) Odour No data available
c) Odour Threshold No data available
d) pH No data available

Sigma - P5811 Page 5 of 9



e) Melting Melting point/range: 40 °C (104 °F) - lit. point/freezing point

Initial boiling point 158 °C 316 °F - lit. f) and boiling range

g) Flash point ()No data available

No data available h) Evaporation rate i)

Flammability (solid, gas)

explosive limits

No data available

Upper/lower No data available flammability or

No data available k) Vapour pressure No data available I) Vapour density

m) Relative density 1.685 g/cm3 at 25 °C (77 °F)

No data available n) Water solubility o) Partition coefficient: No data available n-octanol/water

p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data available No data available s) Explosive properties No data available Oxidizing properties

#### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong bases, Powdered metals

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Hazardous decomposition products formed under fire conditions. - Oxides of phosphorus

Sigma - P5811 Page 6 of 9



## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

No data available

Inhalation: No data available

Dermal: No data available

No data available

### Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# **Additional Information**

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 1805 Class: 8 Packing group: III

Proper shipping name: Phosphoric acid solution

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 1805 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: PHOSPHORIC ACID SOLUTION

**IATA** 

UN number: 1805 Class: 8 Packing group: III

Proper shipping name: Phosphoric acid, solution

### **SECTION 15: Regulatory information**

## **SARA 302 Components**

Sigma - P5811 Page 8 of 9

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

### **Pennsylvania Right To Know Components**

Phosphoric acid CAS-No. Revision Date 7664-38-2 1993-02-16

Water 7732-18-5

## **SECTION 16: Other information**

### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.1 Revision Date: 06/17/2019 Print Date: 08/08/2019

Sigma - P5811 Page 9 of 9

