

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Potassium permanganate

Other means of identification

Product No.: 3227, 3228, H953

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Company Name: Avantor Performance Materials, LLC
Address: 100 Matsonford Rd, Suite 200
Radnor, PA 19087

Telephone: Customer Service: 855-282-6867

Contact Person: Product Information Compliance
E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Oxidizing solids Category 2

Health Hazards

Acute toxicity (Oral) Category 4

Unknown toxicity - Health

Acute toxicity, inhalation, dust or mist 100 %

Environmental Hazards

Acute hazards to the aquatic environment Category 1

Chronic hazards to the aquatic environment Category 1

Unknown toxicity - Environment

Acute hazards to the aquatic environment 0 %

Chronic hazards to the aquatic environment 100 %

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Harmful if swallowed.
May intensify fire; oxidizer.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Avoid release to the environment.

Response: In case of fire: Use water spray, foam, dry powder or carbon dioxide for extinction. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Collect spillage.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Substances

Chemical Identity	CAS number	Content in percent (%)*
Potassium permanganate	7722-64-7	98 - 100%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance. Ensure that emergency personnel are aware of the material involved, and take precautions to protect themselves.

Ingestion: Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting without advice from poison control center. Never give liquid to an unconscious person.

Inhalation:	Move to fresh air. Get medical attention if symptoms persist. If breathing stops, provide artificial respiration. For breathing difficulties, oxygen may be necessary.
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation persists after washing. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes. IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

Most important symptoms/effects, acute and delayed

Symptoms:	May cause irritation to skin, eyes and respiratory tract.
Hazards:	None known.

Indication of immediate medical attention and special treatment needed

Treatment:	Symptoms may be delayed. Treat symptomatically.
-------------------	-------------------------------------------------

5. Fire-fighting measures

General Fire Hazards:	Oxidizing material. In case of fire and/or explosion do not breathe fumes.
------------------------------	----------------------------------------------------------------------------

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	None known.

Specific hazards arising from the chemical:	May intensify fire; oxidizer. Explosion risk.
----------------------------------------------------	-----------------------------------------------

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment.
Methods and material for containment and cleaning up:	Remove sources of ignition. Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination. Use non-sparking tools.

Notification Procedures: Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling: Do not taste or swallow. Wash hands thoroughly after handling. Avoid contact with eyes. Keep away from food, drink and animal feeding stuffs. Keep away from combustible material. Do not eat, drink or smoke when using the product. Do not smoke, use open fire or other sources of ignition. Use personal protective equipment as required. See Section 8 of the SDS for Personal Protective Equipment. Observe good industrial hygiene practices. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Take any precaution to avoid mixing with combustibles. Wear fire resistant or flame retardant clothing. Avoid contact with skin.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed in a cool, well-ventilated place. Keep container dry. Store away from incompatible materials. Eliminate sources of ignition.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Potassium permanganate - Respirable fraction. - as Mn	TWA	0.02 mg/m3	US. ACGIH Threshold Limit Values (02 2013)
Potassium permanganate - Inhalable fraction. - as Mn	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values (02 2013)
Potassium permanganate - Fume. - as Mn	STEL	3 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Potassium permanganate - as Mn	Ceiling	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Potassium permanganate - Particulate.	ST ESL	Health 1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	AN ESL	Health 0.1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection	
Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing.
Respiratory Protection:	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Avoid contact with eyes, skin, and clothing.

9. Physical and chemical properties

Appearance

Physical state:	Solid
Form:	Crystals or powder.
Color:	purple
Odor:	Odorless
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	Approximate 240 °C
Initial boiling point and boiling range:	No data available.
Flash Point:	Not applicable
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	5.40 (Air=1)
Density:	2.7 g/cm ³ (20 °C)
Relative density:	2.7 (20 °C)
Solubility(ies)	
Solubility in water:	64 g/l (20 °C)
Solubility (other):	acetic acid: Soluble acetic anhydride: Soluble acetone: Soluble methanol: Soluble pyridine: Soluble sulfolane: Soluble
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

Other information

Molecular weight: 158.03 g/mol (KMnO4)

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Heat, sparks, flames. Shocks and physical damage. Contact with incompatible materials.

Incompatible Materials: Reducing agents. Flammable/combustible material. Organic compounds. Powdered metal. Alcohols. Arsenites. Bromides. Iodides. Phosphorus. Sulfuric acid. Hydrogen peroxide (H2O2) Ferrous salts. Peroxides.

Hazardous Decomposition Products: Toxic metal fumes may form when heated to decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation: May be harmful if inhaled.

Skin Contact: Causes mild skin irritation.

Eye contact: May cause temporary eye irritation.

Ingestion: Harmful if swallowed.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral
Product: LD 50 (Rat): 750 mg/kg

Dermal
Product: LD 50 (Rat) > 2,000 mg/kg

Inhalation
Product: No data available.

Repeated dose toxicity
Product: No data available.

Skin Corrosion/Irritation
Product: May cause transient irritation.

Serious Eye Damage/Eye Irritation
Product: May cause temporary eye irritation.

Respiratory or Skin Sensitization
Product: Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: Not classified

Other effects:

None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Potassium permanganate LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.267 - 0.442 mg/l
 LC 50 (Striped bass (Morone saxatilis), 96 h): 0.348 mg/l
 LC 50 (Bluegill (Lepomis macrochirus), 96 h): 0.713 - 0.959 mg/l
 NOAEL (Poecilia reticulata, 96 h): 0.35 mg/l
 LC 50 (Poecilia reticulata, 96 h): 0.47 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Potassium permanganate EC 50 (Amphipod (Crangonyx pseudogracilis), 48 h): 0.86 - 1.12 mg/l
 LC 50 (Zebra mussel (Dreissena polymorpha), 48 h): > 40 mg/l

NOAEL (Daphnia magna, 48 h): 0.01 mg/l
EC 50 (Daphnia magna, 48 h): 0.06 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: There are no data on the degradability of this product.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil:

The product is water soluble and may spread in water systems.

Other adverse effects:

Very toxic to aquatic organisms. Very toxic to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging:

Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN Number:	UN 1490
UN Proper Shipping Name:	Potassium permanganate
Transport Hazard Class(es)	
Class:	5.1
Label(s):	5.1
Packing Group:	II
Marine Pollutant:	No

Special precautions for user: Not determined.

IMDG

UN Number: UN 1490
 UN Proper Shipping Name: POTASSIUM PERMANGANATE
 Transport Hazard Class(es)
 Class: 5.1
 Label(s): 5.1
 EmS No.: F-H, S-Q
 Packing Group: II
 Marine Pollutant: No
 Special precautions for user: Not determined.

IATA

UN Number: UN 1490
 Proper Shipping Name: Potassium permanganate
 Transport Hazard Class(es):
 Class: 5.1
 Label(s): 5.1
 Packing Group: II
 Marine Pollutant: No
 Special precautions for user: Not determined.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
 None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
 None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Potassium permanganate	100 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Oxidizer (liquid, solid or gas)
 Acute toxicity (any route of exposure)

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Potassium permanganate	10000 lbs.

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Potassium permanganate	10000 lbs.	25000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Potassium permanganate	Reportable quantity: 100 lbs.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity
Potassium permanganate

US. Massachusetts RTK - Substance List

Chemical Identity
Potassium permanganate

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity
Potassium permanganate

US. Rhode Island RTK

Chemical Identity
Potassium permanganate

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol


Not applicable

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
Japan ISHL Listing:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Mexico INSQ:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible
OX: Oxidizing agent

Issue Date:	10-30-2019
Revision Information:	Not relevant.
Version #:	1.1
Source of information:	Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer’s SDSs and other sources, as appropriate.
Further Information:	No data available.
Disclaimer:	The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS (“AVANTOR”) EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor’s products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR’S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.