

Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200



WHMIS Class D-2B: Material causing other toxic effects (TOXIC).

HCS Class: Irritating substance.

WHMIS (Pictograms)

WHMIS (Classification)

HCS

Andhon n. Chen	ก็สก็เมืองใหญ่สกษ์ (ของกุรสกุรที่ปลงที่ก็เสมียก		
Product Name/ Trade name	Furniture Polish	Code	060
Synonym	Furniture Polish	CAS#	Not applicable.
Chemical Family	Not available.	Validation Da	te 3/20/2004
Chemical Formula	Not applicable.	Print Date	3/27/2004
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		Protective Clothing
		-]	

Section 2. Composition and Information on Ingredients					
Name	CAS#	% by Weight	Exposure Limits	$ m LC_{50}/LD_{50}$	
1) Liquified Petroleum Gas	68476-85-7	10-15	TWA: 1000 (ppm) TWA: 1000 (ppm) from OSHA (PEL) [United States]	Not available.	
2) Heptane	142-82-5	10-15	TWA: 400 (ppm) TWA: 500 (ppm) from OSHA (PEL) [United States] STEL: 500 (ppm)	Not available.	
3) Mineral Seal Oil	64742-06-9	<2	TWA: 100 (ppm) TWA: 100 (ppm) from OSHA (PEL) [United States]	Not available.	
4) Perfume Oil	8007-02-1	<2	Not available.	Not available.	

Section 3: Hazards	identification at the second of the second o	
Potential Acute Health Effects This product is an eye irritant.		
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.	
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.	

Sodfond Fla	Additionsures
Eye Contact	Flush with large quantities of water. Seek medical attention if irritation occurs.
Skin Contact	Flush with water. Seek medical attention if irritation occurs.
Inhalation	N/A
Ingestion	Dilute with two glasses of water. Seek medical attention if symptoms persist.

Section 5. File Figi	iling Measures
Products of Combustion	Not available.
Fire Fighting Media and Instructions	CO2, dry chemical, foam.
Special Remarks on Fire Hazards	N/A
Special Remarks on Explosion Hazards	Heated cans may burst.

Section 6 Accidental	Release Measures
Small Spill and Leak	N/A.
	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Section 7. Itanic	ling and Storage
Precautions	Avoid contact with skin and eyes. Keep away from heat. Keep away from sources of ignition.
Incompatibility	None known.
Storage	Combustible materials should be stored away from extreme heat and away from strong oxidizing agents. Keep out of the reach of children. Not for use or storage in or around the home.

	agents. Reep out of the reach of children. Not for use of storage in a large transfer
Section 8. Exposure	controls/Personal/Protection
Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection	
Eyes	Safety glasses.
Body	No special protective clothing is required.
Respiratory	Wear appropriate respirator when ventilation is inadequate.
Hands	Gloves.
Protective Clothing (Pictograms)	
Exposure Limits	Liquified Petroleum Gas TWA: 1000 (ppm) TWA: 1000 (ppm) from OSHA (PEL) Heptane TWA: 400 (ppm) TWA: 500 (ppm) from OSHA (PEL) STEL: 500 (ppm)

Mineral Seal Oil

TWA: 100 (ppm) TWA: 100 (ppm) from OSHA (PEL)

Petroleum Distillates TWA: 5 (mg/m³) TWA: 5 (mg/m³) from OSHA (PEL)

Consult local authorities for acceptable exposure limits.

	ind Chemical Properties	112.004	Signatured and
Physical State and Appearance	Liquid.	Odor	Lemon like.
Molecular Weight	Not applicable.	Taste	Not available.
рH	10 to 11 [Basic.]	Color	Clear White.
Boiling/Condensation Point	N/A		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	Not available.		
Vapor Pressure	55 psig @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	85		
voc	257.43 (g/l).		
Evaporation Rate	<1		
Dispersion Properties	Not available.		
Solubility	Not available.		
The Product is:	Non-flammable.		
Auto-ignition Temperature	Not available.	***	
Flash Points	NO FLAME OR FLASH BACK PER CPSC FLAI	ME PROJEC	TION TEST.
Flammable Limits	LOWER: 0.9% UPPER: 9.5%		
Fire Hazards in Presence of Various Substances	No specific information is available in our da presence of various materials.	atabase reg	arding the flammability of this product in
Explosion Hazards in Presence of Various Substances	Containers may explode when heated.		

Section 10. Stability a	and Reactivity Data
Stability	The product is stable.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	Will not occur.
Products	

Section 11. Toxicolog	jical information
Routes of Entry	Skin contact. INHALATION Eye Contact
Toxicity to Animals	Acute oral toxicity (LD50): 4000 mg/kg [Rat]. (Triethanolamine).
Acute Effects on Humans Eyes	Eye irritant. May cause redness and swelling of the conjunctiva.
Skin	Defatting to skin on repeated contact.
Inhalation	N/A
Ingestion	May be irritating to the gastrointestinal system. Nausea, vomiting, and diarrhea expected with large doses.
Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12 Ecologic	al/Information
Ecotoxicity	Not Available
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	No additional remark.

Section 13, Dispo	al Considerations		
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.		
Waste Stream	Not available.		

DOT (U.S.A) (Pictograms) TDG Classification Not controlled under TDG (Canada). PIN UN, Proper Shipping Not applicable. Name, PG Maritime Transportation Not available. Special Provisions for Transport

Section 15: Other R	Regulatory Inform	ation and Pictograms	
WHMIS (Classification)	WHMIS Class D-2B: Material causing other toxic effects (TOXIC).		
Regulatory Lists	No products were found.		
Other Regulations	Not available. or of its ingredients		
Other Classifications	HCS (U.S.A.)	HCS Class: Irritating substance.	
•	USA Regulatory Lists		
		SARA 311/312 MSDS distribution - chemi Liquified Petroleum Gas: fire	ical inventory - hazard identification:
	DSD (EEC)	This product is not classified according to	the EU regulations.
,	International Regulations Lists	No products were found.	
Hazardous Material Information System (U.S.A.)	Health Flammability Physical Hazard	1 National Fire Protection Association (U.S.A.)	Flammability Health 11 10 Instability
The Hazard Ranking systems pr MSDS must be consulted to de	resented on this MSDS protermine any specific hazar	wide only a quick reference for hazard information. The ds, First Aid measures, and PPE associated with this p	e ENTIRE Specific Hazard Specific Hazard

Validated by CRushton on 3/20/2004.		Verified by CRushton.		
		Printed 3/27/2004.		
Information Contact	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607			
Notice to Reader	Toledo, Ohio 43607			
for the accuracy or completent	ss of the information contained herein.	rate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoe: bility of the user. All materials may present unknown hazards and should be used with caution. Althou		

Validated on 3/20/2004. Furniture Polish Page: 5/5

Continued on Next Page