

MATERIAL SAFETY DATA SHEET

Page 1 of 2

WIRE AIDE

GB ELECTRICAL INC.
6101 N. BAKER ROAD
MILWAUKEE, WI 53209

In case of emergency, contact
3E Company
800-360-3220 24 hrs, 7 days/week

PREPARATION DATE: JANUARY 2007

SECTION I - PRODUCT IDENTIFICATION

WIRE-AIDE
CABLE PULLING LUBRICANT
79-002, 79-003, 79-004, 79-006
CHEMICAL FAMILY: Natural Oil (Acidless) Emulsion

SECTION II - COMPOSITION/ INFORMATION ON INGREDIENTS

TRIETHANOLAMINE: 10.0%
CAS#102-71-06

TLV UNITS: Not Established

SECTION III - PHYSICAL & CHEMICAL PROPERTIES

BOILING POINT: 210 degrees F
FREEZING POINT: 28 degrees F

SPECIFIC GRAVITY (H₂O = 1): .978 Typical

VAPOR PRESSURE: N/A
VAPOR DENSITY (Air = 1): N/A

PERCENT, VOLATILE BY VOLUME: 88-90%
EVAPORATION RATE (Butyacetate = 1): .84

SOLUBILITY: Partial

SPECIFIC HEAT: N/A

APPEARANCE & ODOR: Yellow opaque cream. "Tallow odor".

SECTION IV - FIRE & EXPLOSIVE DATA

FLASH POINT: Non-combustible

FLAMMABLE LIMITS: Undetermined

LEL = 1% N/A
UEL = 6% N/A

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical or foam.

SPECIAL FIRE FIGHTING PROCEDURES: Use standard process.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

SECTION V - HEALTH DATA & FIRST AID MEASURE**EFFECTS OF OVEREXPOSURE:** Threshold limit: 25 mg/m3**INGESTION:** Possible effects could include headache, nasal or respiratory irritation, nausea, fatigue, pneumonitis, pulmonary edema, central nervous system depression.**EMERGENCY FIRST AID PROCEDURES:****Eyes:** Flush eyes well with clear water for 15 minutes, or until irritation subsides.**Skin:** Remove contaminated clothing, wash skin thoroughly with warm water and soap.**Inhalation:** Move person to well ventilated area.**Ingestion:** If conscious, have victim consume 16 oz. Of milk or water.*Do not induce vomiting. Obtain immediate medical assistance!***SECTION VI - STABILITY & REACTIVITY****STABILITY:** Stable**CONDITIONS TO AVOID:** N/A**INCOMPATIBILITY:** Avoid strong mineral acids and oxidizers.**HAZARDOUS DECOMPOSITION:** N/A**HAZARDOUS POLYMERIZATION:** Will not occur under normal conditions.**SECTION VII - ACCIDENTAL RELEASE MEASURES****MATERIAL RELEASED OR SPILLED:** Vacuum or sweep into closed container for re-use or disposal. Notify proper authorities if chemicals enter sewers, waterways, or extensive land areas.**WASTE DISPOSAL METHOD:** Ensure conformity with federal, state and local disposal regulations by disposing in an approved site.**SECTION VIII - SAFE HANDLING****HANDLING:** Follow recommendations on label. Use good industrial hygiene practices.**RESPIRATORY PROTECTION:** None required.**VENTILATION:** Normal ventilation.**PROTECTIVE EQUIPMENT:** Use protective gloves and chemical safety glasses during normal handling. To prevent prolonged skin exposure, wear impervious clothing and boots.**DISPOSAL:** Material may be hazardous when emptied, since empty containers retain residues (vapor, liquid and/or solids). Dispose of waste in safe, closed container.**SECTION IX - OTHER**

The above information and recommendations are believed accurate and reliable. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required.